US ISSN 0013 8746

ANNALS *of the*

ENTOMOLOGICAL SOCIETY OF AMERICA

VOLUME 85—1992

Published by the ENTOMOLOGICAL SOCIETY OF AMERICA

AESAII 85 1–824

Annals
of the
Entomological Society of America

Volume 85
November 1992

CARL W. SCHAEFER
Editor
RALPH W. HOWARD
Editor
RICHARD S. ZACK
Book Review Editor

RAYMOND L. EVERNGAM, JR.
Managing Editor
RICHARD H. FOOTE
MELISSA McDANIEL
Copy Editors

ROB HEADRICK
VIVIANA VILLAFANE
JENNIFER YEARWOOD
Production Editors
CAROLYN DeSIMON
Administrative Assistant

Editorial Board

FRANKLIN CHANG, *Chair*
Honolulu, HI
Section B (1992)
SCOTT E. MILLER
Honolulu, HI
Section A (1993)

RANDALL T. SCHUH
New York, NY
Section A (1994)
CHRISTOPHER GEDEN
Ithaca, NY
Section D (1995)

KENNETH F. HAYNES
Lexington, KY
Section C (1996)

Published by the
Entomological Society of America

F. T. TURPIN
West Lafayette, IN
President

L. R. NAULT
Worcester, OH
Past President

F. W. KNAPP
Lexington, KY
President-Elect

J. H. SHADDY
Kirksville, MO
Secretary-Treasurer

M. B. STOETZEL
Beltsville, MD
Eastern Branch

K. L. STEFFEY
Champaign, IL
North Central Branch

R. E. BERRY
Corvallis, OR
Pacific Branch

B. R. WISEMAN
Tifton, GA
Southeastern Branch

T. W. FUCHS
San Angelo, TX
Southwestern Branch

B. J. HARRINGTON
Madison, WI
Section A

H. OBERLANDER
Gainesville, FL
Section B

M. E. IRWIN
Champaign, IL
Section C

J. D. EDMAN
Amherst, MA
Section D

D. D. KOPP
Fargo, ND
Section E

G. L. TEETES
College Station, TX
Section F

W. D. HANSEN
Lanham, MD
Executive Director

© 1992, Entomological Society of America

The *Annals of the Entomological Society of America* (ISSN 0013-8746) is published bimonthly (January, March, May, July, September, and November) by the Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706. The journal is printed by Allen Press, Inc., 1041 New Hampshire Street, P.O. Box 368, Lawrence, KS 66044. Second class postage is paid at Lanham, MD, and at additional mailing offices.

Postmaster: Send change of address forms to *Annals*, ESA, 9301 Annapolis Road, Lanham, MD 20706.

Inquiries regarding content, subscriptions, advertising, availability of back issues, change of address, and general business matters, and manuscripts and other copy should be sent to the managing editor, ESA, 9301 Annapolis Road, Lanham, MD 20706. For information about the preparation of manuscripts, authors are urged to consult "Information for Contributors," which is printed on the inside back cover of most issues, or to send for *Publications Policies and Guide for Authors*, which is available free of charge from ESA.

Articles report the results of research only. Mention of a pesticide or a commercial or proprietary product does not constitute endorsement or recommendation for its use. Authors are entirely responsible for statements made, whether of fact or opinion. Registered names and trademarks, etc., used in this publication, even without specific indication thereof, are not to be considered unprotected by law.

Photocopies. Permission to photocopy journal articles for internal or personal use is granted by the Entomological Society of America provided that a fee is paid directly to the Copyright Clearance Center, 21 Congress Street, Salem, MA 01970. Individuals may make a single copy for personal use without charge. This consent does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. The fee code for users of the Transaction Reporting Service is 0013-8746/91/$2.00.

Subscriptions. 1992 prices: members, $25; nonmember individuals, $75; institutions, $150. To the above add $20 for shipping outside the continental U.S.; $18 for shipping to India. Send payment to Annals Subscriptions, ESA, P.O. Box 177, Hyattsville, MD 20781. Inquiries should be directed to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706; (301) 731-4535.

Back Issues	ESA member domestic	ESA member foreign	Non-member domestic	Non-member foreign
Single issue	$10.40	$11.40	$ 34.00	$ 35.00
Volume	62.40	68.40	204.00	210.00

All prices include handling and shipping by surface mail. For a list of available issues, write to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706. Back volumes are available in microform from University Microfilms International, Attn: Marketing Services, 300 North Zeeb Road, Ann Arbor, MI 48106-9976.

CUMULATIVE AUTHOR INDEX
Annals of the Entomological Society of America
Volume 85, 1992

A
Adler, P. H., 393
Asis, J. D., 26

B
Backus, E. A., 437
Baker, J. E., 612
Barrows, E. M., 207
Bartelt, R. J., 696
Bennett, W. H., 437
Berberet, R. C., 39
Berg, M. B., 578
Bergh, J. C., 224
Blum, M. S., 96
Booth, C. L., 331
Bosch, J., 713
Bradshaw, W. E., 276, 445
Braga, M. V., 458
Breed, M. D., 633
Brown, B. V., 80
Brown, J. J., 67
Brust, R. A., 1
Buco, S. M., 335

C
Campbell, M. D., 445
Cane, J. H., 517
Capinera, J. L., 731
Cashatt, E. D., 596
Cate, J. R., 469
Chabora, P. C., 195
Charlton, R. E., 605
Cheng, Z.-B., 627
Chow, Y.-S., 298
Christman, V. D., 705
Copeland, R. S., 154
Craig, Jr., G. B., 154
Crocker, R. L., 462
Cromroy, H. L., 462

D
Danforth, B. N., 616
Day, W. H., 482
Dingle, H., 590
Dominguez, E., 655
Dos Santos, A. A., 458
Dunbar, C. S., 286
Dysart, R. J., 482

E
Ellison, S., 686

F
Feener, Jr., D. H., 80
Fereres, A., 241
Flanders, R. V., 722
Flowers, R. W., 655
Fredericks, D., 148
Frey, D., 148
Friedman, S., 784
Fuester, R. W., 482

G
Gabrielson, D. A., 499, 755
Gaugler, R., 431
Gayubo, S. F., 26
Geden, C. J., 179
Gilbertson, D. G., 499
Golden, K. L., 561
Gordon, D. M., 44
Greenberg, L., 686
Grimaldi, D., 671
Gu, S.-H., 298
Gutierrez, A. P., 53

H
Hafernik, Jr., J. E., 662
Hamilton, K.G.A., 423
Hammond, A. M., 400
Harbo, J. R., 335
Hardy, T. N., 400
Harris, M. O., 224
Hazarika, L. K., 605
Heath, R. R., 731
Hellenthal, R. A., 578
Hendricks, H. J., 452
Hespenheide, H. A., 48
Hinks, C. F., 304
Hoffman, G. D., 506, 571
Hogg, D. B., 506
Holzapfel, C. M., 276
Hooker, M. E., 207
Howard, R. W., 317, 489
Hoyer, H., 482
Huberty, A. F., 696

J
Jaenike, J., 671, 696
James, A. C., 671
Johnson, J. B., 200
Johnson, O. A., 755
Johnston, J. S., 293
Jones, C. G., 96
Jones, R. L., 72

K
Kainoh, Y., 67
Kaitala, A., 590
Kaneshiro, K. Y., 214
Kathirithamby, J., 293
Kazmer, D. J., 413
Kim, C. O., 48
Kim, J.-Y., 85
Kitamura, S., 767
Klompen, J.S.H., 541
Kopelman, A. H., 195

L
Lamberson, C., 111
Landis, D. A., 596
Latorre, A., 241
Leong, J. M., 662
Leong, K.L.H., 148
Lewis, E. E., 517
Liang, D., 605
Libler, J. S., 696
Lima, M. M., 458
Lin, F.-J., 298
Little, H. F., 326
Long, S. J., 179
Longnecker, M. T., 462
Low, B. S., 219
Lowry, V. K., 744

M
Ma, R. Z., 72
Machado-Neto, E., 477
Madden, L. V., 792
Marsh, P. M., 482
Martin, J. A., 127
Martinez, D., 241
McCombs. S. D., 344, 799
McDonald, I. C., 499, 755
McKamey, S. H., 253
Meinke, L. J., 561
Mitchell, F. L., 744
Mogi, M., 58
Montgomery, S. L., 282
Morales-Ramos, J. A., 469
Moulton, J. K., 393
Moya, A., 241
Muegge, M. A., 406
Munstermann, L. E., 1

N
Naeem, M., 784
Nailon, Jr., W. T., 462
Nakamatu, Y., 310
Nault, L. R., 627, 792
Neff, J. L., 616

O
O'Brien, L. B., 121
O'Neill, K. M., 34
Obrycki, J. J., 722
Oldroyd, B. P., 335
Olfert, O., 304
Orr, C. J., 722

P
Paine, T. D., 165
Panizzi, A. R., 477
Pappas, C. D., 111
Pappas, L. G., 111
Parajulee, M. N., 736
Pashley, D. P., 127, 400
Pereira, J. B., 458
Perreira, W. D., 282
Phillips, T. W., 736
Pinto, J. D., 413
Pinto, Z. T., 458
Pitcairn, M. J., 53
Platner, G. R., 413
Poinar, Jr., G. O., 363
Poswal, M. A., 39
Powers, T. O., 234
Prescott, L. D., 214

R
Raffa, K. F., 571
Raskowitz, S., 148

Rinderer, T. E., 335
Rodriguez, C. M., 792
Roelofs, W. L., 605
Rose, S., 224
Rosen, P., 499
Rosenthal, H., 525
Ross, M. H., 348
Rossler, Y., 525
Rutz, D. A., 179

S
Sandall, L., 234
Sanderson, J. P., 775
Santiago-Blay, J. A., 363
Sappington, T. W., 188
Sassaman, C. A., 413
Saul, S. H., 344, 799
Schal, C., 605
Schutz, S., 431
Seibert, T. F., 173
Showers, W. B., 188
Silvers, S. H., 612
Smith, Jr., J. W., 744
Smith, L., 179
Smith, T. A., 633
Sorenson, C. E., 596
Spicer, G. S., 11
Stanley-Samuelson, D. W., 489, 561
Strazanac, J. S., 282
Streams, F. A., 265
Styer, W. E., 627
Swedenborg, P. D., 72

T
Tabachnick, W. J., 140
Tabashnik, B. E., 282
Tanaka, A., 767
Tanaka, T., 310
Tauber, C. A., 200
Tauber, M. J., 200
Taylor, R.A.J., 627
Thibault, S., 696
Tisler, A. M., 234
Torchio, P. F., 713
Tormos, J., 26
Torres, A., 633
Triebold, B., 755
Tschinkel, W. R., 638

V
Valles, S. M., 731
Vandenberg, N. J., 370
Vinson, S. B., 686
Voshell, Jr., J. R., 705

W
Wagner, M. R., 286
Waldbauer, G. P., 784
Wcislo, W. T., 219
Westcott, N. D., 304
Wheeler, Jr., A. G., 258
Whitman, D. W., 96
Whittier, T. S., 214
Widahl, L.-E., 91
Williams, M. L., 452
Wilson, S. W., 258
Witters, N. A., 489
Woo, S. M., 612
Woodruff, R. E., 462

Y
Yagi, S., 310
Young, L. J., 39

Z
Zehnder, G. W., 234
Zhang, Z.-Q., 775

CUMULATIVE SUBJECT INDEX
Annals of the Entomological Society of America
Volume 85, 1992

A

Acari, phoresy, 462
  Scarabaeidae, 462
acquisition, allocation, 276
  tradeoff, 276
Acrididae, defense gland, 96
  defensive behavior, 96
Acyrthosiphon kondoi, discriminant analysis, 39
  morphometrics, 39
Adelphocoris, biocontrol, 482
  Peristenus, 482
Aedes communis complex, isozyme electrophoresis, 1
  mosquito systematics, 1
Aedes spp., species interactions, 154
  treehole mosquitoes, 154
aggregation pheromones, behavior, 696
  cuticular hydrocarbons, 696
Agrotis ipsilon, migration, 188
  polyphenism, 188
allocation, acquisition, 276
  tradeoff, 276
allometry, mating behavior, 616
  Perdita texana, 616
allozymes, taxonomy, 413
  Trichogramma minutum complex, 413
antennal esterase, *Diabrotica virgifera virgifera*, 755
Anthonomus grandis, *Catolaccus grandis*, 469
  parasitoid biology, 469
Apis mellifera, breeding, 335
  quantitative genetics, 335
Aquarius remigis, waterstrider, 590
  wing dimorphism, 590
Argasidae, Ixodida, 541
  systematics, 541

B

Bactrocera dorsalis, linkage groups, 799
  puparium mutants, 799
behavior, aggregation pheromones, 696
  cuticular hydrocarbons, 696
  Palarus almeriensis n.sp., 26
  Sphecidae, 26
Bethylidae, Cucujidae, 317
  semiochemicals, 317
biological control, *Adelphocoris*, 482
  Coccinellidae, 722
  Musca domestica, 179
  Muscidifurax raptor, 179
  natural enemy, 736
  parasitoid, 722
  Peristenus, 482
  Pseudacteon spp., 80
  Solenopsis geminata, 80
  stored grain, 736
bionomics, Diprionidae, 286
  Neodiprion gillettei, 286
Blattella spp., genetics, 348
  hybridization, 348
body size, predation, 34
  robber flies, 34
Bombyx mori, imidazole compound, 298
  metamorphosis, 298
braconid parasitoid, food consumption, 310
  sex allocation, 310
breeding, *Apis mellifera*, 335
  quantitative genetics, 335

C

Caenocolax fenyesi, *Solenopsis invicta*, 293
  stylopization, 293
cannibalism, intrageneric predation, 265
  Notonecta spp., 265
Catolaccus grandis, *Anthonomus grandis*, 469
  parasitoid biology, 469
Ceratitis capitata, genetics, 525
  leks, 214
  mutants, 525
  sexual selection, 214
Ceratopogonidae, *Culicoides*, 111
  pupae, 111
Chironomidae, larval growth, 578
  life history, 578
cluster patterns, *Danaus plexippus*, 148
  seasonal and diurnal variation, 148
Coccinellidae, biological control, 722
  parasitoid, 722
Coccolobis uvifera, systematics, 121
  Tropiduchidae, 121
colony defense, guard bees, 633
  honey bee, 633
colony founding, colony mortality, 638
  life history, 638
colony mortality, colony founding, 638
  life history, 638
computer monitoring, *Dalbulus* spp., 627
  flight mill, 627
congruence, *Drosophila systematics*, 11
  phylogeny, 11
corn earworm, feeding behavior, 784
  Helicoverpa zea, 784
courtship, Scolytidae, 517
  stridulation, 517
Crabro, mating, 219
  Sphecidae, 219
Cucujidae, Bethylidae, 317
  semiochemicals, 317
Culex quinquefasciatus, geographic variation, 58
  temperature, 58
Culicoides variipennis, genetics, 140
  subspecies, 140
Culicoides, Ceratopogonidae, 111
  pupae, 111
Curculionidae, mating, 571
  reproductive development, 571
cuticular hydrocarbons, aggregation pheromones, 696
  behavior, 696
  Diabrotica, 561
  sibling species, 561

D

Dacus, rectal pheromone glands, 326
  ultrastructure, 326
Dalbulus spp., computer monitoring, 627
  flight mill, 627
Danaus plexippus, cluster patterns, 148
  seasonal and diurnal variation, 148
defense gland, Acrididae, 96
  defensive behavior, 96
defensive behavior, Acrididae, 96
  defense gland, 96
development, ecology, 705
  Frankliniella, 744
  mayflies, 705
  reproduction, 744
development and reproduction, *Panstrongylus megistus*, 458
  Trypanosoma cruzi, 458
developmental thresholds, *Gynaikothrips ficorum*, 165
  plant suitability, 165
Diabrotica virgifera virgifera, antennal esterase, 755
  esterase, 499
  expression library screening, 499
Diabrotica, cuticular hydrocarbons, 561
  sibling species, 561
digestion, starch granules, 612
  Tribolium castaneum, 612
Diplopoda, *Siphonophora* spp., 363
  systematics, 363
Diprionidae, bionomics, 286

Neodiprion gillettei, 286
Diptera, mated behavior, 224
Mayetiola destructor, 224
discriminant analysis, *Acyrthosiphon kondoi*, 39
morphometrics, 39
Drosophila simulans, *Leptopilina boulardi*, 195
reproductive biology, 195
Drosophila systematics, congruence, 11
phylogeny, 11
Drosophila testacea group, reproductive isolation, 671
systematics, 671

E
(E)-11-hexadecenal, pheromone, 731
pickleworm, 731
ecology, development, 705
mayflies, 705
egg/larval parasitoid, host castration, 67
pseudoparasitism, 67
eicosanoids, ion transport, 489
water regulation, 489
electropenetrationgraph, feeding, 437
Homoptera, 437
Empoasca fabae, host preference, 506
water stress, 506
Epilachna varivestis, *Pediobius foveolatus*, 207
superparasitism, 207
Eriborus terebrans, *Ostrinia nubilalis*, 72
semiochemicals, 72
esterase, *Diabrotica virgifera virgifera*, 499
expression library screening, 499
Eunusa, morphology, 253
systematics, 253
experience, predator-prey-plant interactions, 775
Tetranychus urticae, 775
expression library screening, *Diabrotica virgifera virgifera*, 499
esterase, 499

F
Fall armyworm, mating behavior, 400
reproductive isolation, 400
fecundity, longevity, 53
Tetrastichus incertus, 53
feeding, electropenetrationgraph, 437
Homoptera, 437
feeding behavior, corn earworm, 784
Helicoverpa zea, 784
flight activity, *Graminella nigrifrons*, 792
irradiance, 792
flight mill, computer monitoring, 627
Dalbulus spp., 627
flow patterns, mosquito larvae, 91
suspension feeding, 91
food consumption, braconid parasitoid, 310
sex allocation, 310
Formica obscuripes, *Lachnus allegheniensis*, 173
mutualism, 173
fossil, Homoptera, 423
Mesozoic, 423
Frankliniella, development, 744
reproduction, 744

G
genetic correlation, photoperiodism, 445
Wyeomyia smithii, 445
genetic diversity, *Lepitnotarsa decemlineata*, 234
mitochondrial DNA, 234
genetic markers, population diversity, 241
Rhopalosiphum padi, 241
genetics, *Blattella* spp., 348
Ceratitis capitata, 525
Culicoides variipennis, 140
hybridization, 348
mutants, 344, 525
subspecies, 140
wing morphology, 344
geographic variation, *Culex quinquefasciatus*, 58
temperature, 58
German cockroach, leg spur, 767
pattern formation, 767
Glycine max, *Helianthus annuus*, 477
stink bug, 477
Graminella nigrifrons, flight activity, 792
irradiance, 792
guard bees, colony defense, 633
honey bee, 633
Gynaikothrips ficorum, developmental thresholds, 165
plant suitability, 165

H
Hawaiian fauna, lacewing larvae, 200
temperature and development, 200
Helianthus annuus, *Glycine max*, 477
stink bug, 477
Helicoverpa zea, corn earworm, 784
feeding behavior, 784
Homoptera, electropenetrationgraph, 437
feeding, 437
fossil, 423
Mesozoic, 423
honey bee, colony defense, 633
guard bees, 633
host castration, egg/larval parasitoid, 67
pseudoparasitism, 67
host plants, immature stages, 258
Rhabdocephala brunnea, 258
host preference, *Empoasca fabae*, 506
water stress, 506
hybridization, *Blattella* spp., 348
genetics, 348
Ischnura, 662
Odonata, 662

I
imidazole compound, *Bombyx mori*, 298
metamorphosis, 298
immature stages, host plants, 258
Rhabdocephala brunnea, 258
intrageneric predation, cannibalism, 265
Notonecta spp., 265
intraspecific competition, nest relocation, 44
Pogonomyrmex barbatus, 44
ion transport, eicosanoids, 489
water regulation, 489
irradiance, flight activity, 792
Graminella nigrifrons, 792
Ischnura, hybridization, 662
Odonata, 662
isozyme electrophoresis, *Aedes communis* complex, 1
mosquito systematics, 1
Ixodida, Argasidae, 541
systematics, 541

J
Japygidae, *Mixojapyx*, 406
new species, 406

L
lacewing larvae, Hawaiian fauna, 200
temperature and development, 200
Lachnus allegheniensis, *Formica obscuripes*, 173
mutualism, 173
Largus californicus, mating behavior, 331
ontogenetic color change, 331
larval growth, Chironomidae, 578

life history, 578
leaf-miners, life history, 48
parasitoids, 48
leg spur, German cockroach, 767
pattern formation, 767
leks, *Ceratitis capitata*, 214
sexual selection, 214
Lepitnotarsa decemlineata, genetic diversity, 234
mitochondrial DNA, 234
Leptophlebiidae, taxonomy, 655
Traverella, 655
Leptopilina boulardi, *Drosophila simulans*, 195
reproductive biology, 195
life history, Chironomidae, 578
colony founding, 638
colony mortality, 638
larval growth, 578
leaf-miners, 48
Melanaspis obscura, 452
ornamental plants, 452
oviposition, 596
parasitoids, 48
resource regulation, 596
linkage groups, *Bactrocera dorsalis*, 799
puparium mutants, 799
longevity, fecundity, 53
Tetrastichus incertus, 53

M

mark-recapture, sex ratio, 282
Vanessa tameamea, 282
mated behavior, Diptera, 224
Mayetiola destructor, 224
mating, *Crabro*, 219
Curculionidae, 571
reproductive development, 571
Sphecidae, 219
mating behavior, allometry, 616
Fall armyworm, 400
Largus californicus, 331
ontogenetic color change, 331
Perdita texana, 616
reproductive isolation, 400
Tabanidae, 431
thermoregulation, 431
Mayetiola destructor, Diptera, 224
mated behavior, 224
mayflies, development, 705
ecology, 705
Megachile, nest-morphology, 85
trap-nesting, 85
Melanaspis obscura, life history, 452
ornamental plants, 452
Melanoplus sanguinipes, secondary plant compounds, 304
survival, 304
Mesozoic, fossil, 423
Homoptera, 423
metamorphosis, *Bombyx mori*, 298
imidazole compound, 298
migration, *Agrotis ipsilon*, 188
polyphenism, 188
mitochondrial DNA, genetic diversity, 234
Lepitnotarsa decemlineata, 234
Mixojapyx, Japygidae, 406
new species, 406
monogyny, polygyny, 686
Solenopsis invicta, 686
morphology, Eunusa, 253
systematics, 253
morphometrics, *Acyrthosiphon kondoi*, 39
discriminant analysis, 39
mosquito larvae, flow patterns, 91
suspension feeding, 91
mosquito systematics, *Aedes communis* complex, 1
isozyme electrophoresis, 1
Musca domestica, biological control, 179
Muscidifurax raptor, 179
Muscidifurax raptor, biological control, 179
Musca domestica, 179
mutant, genetics, 344
wing morphology, 344
mutants, *Ceratitis capitata*, 525
genetics, 525
mutualism, *Formica obscuripes*, 173
Lachnus allegheniensis, 173

N

natural enemy, biological control, 736
stored grain, 736
Neodiprion gillettei, bionomics, 286
Diprionidae, 286
nest relocation, intraspecific competition, 44
Pogonomyrmex barbatus, 44
nest-morphology, *Megachile*, 85
trap-nesting, 85
new species, Japygidae, 406
Mixojapyx, 406
polytene chromosomes, 393
Simulium jenningsi group, 393
Notonecta spp., cannibalism, 265
intrageneric predation, 265

O

Odonata, hybridization, 662
Ischnura, 662
Olla, phylogeny, 370
systematics, 370
ontogenetic color change, *Largus californicus*, 331
mating behavior, 331
ornamental plants, life history, 452
Melanaspis obscura, 452
Osmia spp., parasitic beetle, 713
Tricrania stansburyi, 713
Ostrinia nubilalis, *Eriborus terebrans*, 72
semiochemicals, 72
oviposition, life history, 596
resource regulation, 596

P

Palarus almeriensis n.sp., behavior, 26
Sphecidae, 26
Panstrongylus megistus, development and reproduction, 458
Trypanosoma cruzi, 458
Papilionoidea, rRNA sequences, 127
systematics, 127
parasitic beetle, *Osmia* spp., 713
Tricrania stansburyi, 713
parasitoid, biological control, 722
Coccinellidae, 722
parasitoid biology, *Anthonomus grandis*, 469
Catolaccus grandis, 469
parasitoids, leaf-miners, 48
life history, 48
pattern formation, German cockroach, 767
leg spur, 767
Pediobius foveolatus, Epilachna varivestis, 207
superparasitism, 207
Perdita texana, allometry, 616
mating behavior, 616
Peristenus, *Adelphocoris*, 482
biocontrol, 482
pheromome gland, sex pheromone, 605
Supella longipalpa, 605
pheromone, (E)-11-hexadecenal, 731
pickleworm, 731
phoresy, Acari, 462
Scarabaeidae, 462
photoperiodism, genetic correlation, 445
Wyeomyia smithii, 445
phylogeny, congruence, 11
Drosophila systematics, 11
Olla, 370
systematics, 370
pickleworm, (E)-11-hexadecenal, 731
pheromone, 731
plant suitability, developmental

thresholds, 165
Gynaikothrips ficorum, 165
Pogonomyrmex barbatus,
intraspecific competition, 44
nest relocation, 44
polygyny, monogyny, 686
Solenopsis invicta, 686
polyphenism, *Agrotis ipsilon*, 188
migration, 188
polytene chromosomes, new species, 393
Simulium jenningsi group, 393
population diversity, genetic markers, 241
Rhopalosiphum padi, 241
predation, body size, 34
robber flies, 34
predator–prey–plant interactions, experience, 775
Tetranychus urticae, 775
Pseudacteon spp., biological control, 80
Solenopsis geminata, 80
pseudoparasitism, egg/larval parasitoid, 67
host castration, 67
pupae, Ceratopogonidae, 111
Culicoides, 111
puparium mutants, *Bactrocera dorsalis*, 799
linkage groups, 799

Q
quantitative genetics, *Apis mellifera*, 335
breeding, 335

R
rectal pheromone glands, *Dacus*, 326
ultrastructure, 326
reproduction, development, 744
Frankliniella, 744
reproductive biology, *Drosophila simulans*, 195
Leptopilina boulardi, 195
reproductive development, Curculionidae, 571
mating, 571
reproductive isolation, *Drosophila testacea* group, 671
Fall armyworm, 400
mating behavior, 400
systematics, 671
resource regulation, life history, 596
oviposition, 596
Rhabdocephala brunnea, host plants, 258
immature stages, 258
Rhopalosiphum padi, genetic markers, 241
population diversity, 241
robber flies, body size, 34
predation, 34
rRNA sequences, Papilionoidea, 127
systematics, 127

S
Scarabaeidae, Acari, 462
phoresy, 462
Scolytidae, courtship, 517
stridulation, 517
seasonal and diurnal variation, cluster patterns, 148
Danaus plexippus, 148
secondary plant compounds, *Melanoplus sanguinipes*, 304
survival, 304
semiochemicals, Bethylidae, 317
Cucujidae, 317
Eriborus terebrans, 72
Ostrinia nubilalis, 72
sex allocation, braconid parasitoid, 310
food consumption, 310
sex pheromone, pheromome gland, 605
Supella longipalpa, 605
sex ratio, mark–recapture, 282
Vanessa tameamea, 282
sexual selection, *Ceratitis capitata*, 214
leks, 214
sibling species, cuticular hydrocarbons, 561
Diabrotica, 561
Simulium jenningsi group, new species, 393
polytene chromosomes, 393
Siphonophora spp., Diplopoda, 363
systematics, 363
Solenopsis geminata, biological control, 80
Pseudacteon spp., 80
Solenopsis invicta, *Caenocolax fenyesi*, 293
monogyny, 686
polygyny, 686
stylopization, 293
species interactions, *Aedes* spp., 154
treehole mosquitoes, 154
Sphecidae, behavior, 26
Crabro, 219
mating, 219
Palarus almeriensis n.sp., 26
starch granules, digestion, 612
Tribolium castaneum, 612
stink bug, *Glycine max*, 477
Helianthus annuus, 477
stored grain, biological control, 736
natural enemy, 736
stridulation, courtship, 517
Scolytidae, 517
stylopization, *Caenocolax fenyesi*, 293
Solenopsis invicta, 293
subspecies, *Culicoides variipennis*, 140
genetics, 140
Supella longipalpa, pheromome gland, 605
sex pheromone, 605
superparasitism, Epilachna varivestis, 207
Pediobius foveolatus, 207
survival, *Melanoplus sanguinipes*, 304
secondary plant compounds, 304
suspension feeding, flow patterns, 91
mosquito larvae, 91
systematics, Argasidae, 541
Coccolobis uvifera, 121
Diplopoda, 363
Drosophila testacea group, 671
Eunusa, 253
Ixodida, 541
morphology, 253
Olla, 370
Papilionoidea, 127
phylogeny, 370
reproductive isolation, 671
rRNA sequences, 127
Siphonophora spp., 363
Tropiduchidae, 121

T
Tabanidae, mating behavior, 431
thermoregulation, 431
taxonomy, allozymes, 413
Leptophlebiidae, 655
Traverella, 655
Trichogramma minutum complex, 413
temperature, *Culex quinque-fasciatus*, 58
geographic variation, 58
temperature and development, Hawaiian fauna, 200
lacewing larvae, 200
Tetranychus urticae, experience, 775
predator–prey–plant interactions, 775
Tetrastichus incertus, fecundity, 53
longevity, 53
thermoregulation, mating behavior, 431
Tabanidae, 431
tradeoff, acquisition, 276
allocation, 276

trap-nesting, *Megachile*, 85
nest-morphology, 85
Traverella, Leptophlebiidae, 655
taxonomy, 655
treehole mosquitoes, *Aedes* spp., 154
species interactions, 154
Tribolium castaneum, digestion, 612
starch granules, 612
Trichogramma minutum
complex, allozymes, 413
taxonomy, 413
Tricrania stansburyi, *Osmia* spp., 713
parasitic beetle, 713
Tropiduchidae, *Coccolobis uvifera*, 121
systematics, 121
Trypanosoma cruzi, development and reproduction, 458
Panstrongylus megistus, 458

U

ultrastructure, *Dacus*, 326
rectal pheromone glands, 326

V

Vanessa tameamea, mark-recapture, 282
sex ratio, 282

W

water regulation, eicosanoids, 489
ion transport, 489
water stress, *Empoasca fabae*, 506
host preference, 506
waterstrider, *Aquarius remigis*, 590
wing dimorphism, 590
wing dimorphism, *Aquarius remigis*, 590
waterstrider, 590
wing morphology, genetics, 344
mutant, 344
Wyeomyia smithii, genetic correlation, 445
photoperiodism, 445